

# Product Data Sheet



## FGL Fast Set Liquid

### PRODUCT DESCRIPTION

**MJS Max Bond FGL** is ideal for bonding carpet gripper, woods, metal trims, metal nosing, aluminium & many other types of products where a quick bond is required to concrete, timber and most other common building substrates. MJS Max Bond FGL has excellent resistance to high temperatures and water.

### SURFACE PREPARATION:

All surfaces must be clean & sound, free of dust and any other contaminants that may affect bond.

### APPLICATION:

Apply thin bead of adhesive to one surface. Press the two surfaces to be bonded firmly together. Pressure may need to be applied to keep the two surfaces in contact while adhesive cures. Large extrusions should also be secured with appropriate fixing screws.

### CURING TIME:

MJS Max Bond FGL is a moisture cure system. Allow approx. Two hour curing time. This process may be accelerated by spraying a light mist of water to one of the surfaces.

Thick beads will take longer to cure and will have a weaker bond than a thinner bead. The thicker the bead of FGL the more the product will tend to foam.

**Always Wear Protective Gloves** when using FGL, refer to MSDS for further personal safety protection.

### CLEAN UP:

Remove any wet adhesive with Max Bond SC before it cures. When cured remove by mechanical means.

### TYPICAL PROPERTIES:

- Appearance: Brown Liquid
- Viscosity: Thin Liquid
- Specific Gravity: Approx. 1.15



Floorcoverings

July 2011

**Note:** Always carry out your own test to confirm suitability of this product with your application. Additional information on physical properties, health hazards, storage, handling and transport is available in the Material Safety Data Sheet (MSDS), available on MJS web site

### DISTRIBUTED BY:

**QUEENSLAND**  
**Brisbane**  
MJS Floorcoverings  
35 Dividend St  
Mansfield 4122  
Ph: 07 3347 7300  
Fax: 1800 063 299

**NSW**  
**Sydney**  
MJS Floorcoverings  
7 Walker Place  
Wetherill Park 2164  
Ph: 02 9725 5519  
Fax: 02 9725 5552

**VICTORIA**  
**Melbourne**  
MJS Floorcoverings  
82 Endeavour St  
Sunshine 3020  
Ph: 03 9314 2872  
Fax: 03 9314 6971

**TASMANIA**  
**Hobart**  
MJS Floorcoverings  
101 Albert Rd  
Moonah 7000  
Ph: 03 6228 1032  
Fax: 03 6228 1035

**NORTHERN TERRITORY**  
**Darwin**  
MJS Floorcoverings  
14, 128 Coonawarra Rd  
Winnellie 0821  
Ph: 08 8947 6917  
Fax: 08 8947 1528

**SOUTH AUSTRALIA**  
**Adelaide**  
Manufacturers'  
Agencies Pty Ltd  
Unit 7/9 William St  
Mile End South 5031  
Ph: 08 8234 8933  
Fax: 08 8234 8955

**WESTERN AUSTRALIA**  
**Perth**  
Manufacturers'  
Agencies Pty Ltd  
28 Carbon Court  
Osborne Park 6017  
Ph: 08 6240 1000  
Fax: 08 9445 1332