

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Maintenance Paste

Product no.

-

REACH registration number

Not applicable

Other means of identification

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

wood surfaces, indoors

Uses advised against

-

The full text of any mentioned and identified use categories are given in section 16

1.3. Details of the supplier of the safety data sheet

Company and address

WoodCare Denmark A/S

Tværvej 6

6640 Lunderskov

Denmark

Tel: +45 99585600

Fax: +45 99585634

Contact person

LFH

E-mail

info@ttwoodcare.com

SDS date

21-05-2015

SDS Version

2.0

1.4. Emergency telephone number

Use your national or local emergency number

See section 4 "First aid measures"

SECTION 2: Hazards identification

▼ 2.1. Classification of the substance or mixture

This product is not classified as dangerous.

See full text of H-phrases in section 2.2.

DPD/DSD Classification

-

-

2.2. Label elements

Hazard pictogram(s)

-

Signal word

-

Hazard statement(s)

-

▼ **Safety**

General

-

According to EC-Regulation 1907/2006 (REACH)

statement(s) Prevention -
 Response -
 Storage -
 Disposal -

Identity of the substances primarily responsible for the major health hazards

-

2.3. Other hazards

Contains drying oils. Risk of self-ignition. After spills and used cloths, etc. have been recovered, store in fireproof waste disposal containers before destroying. This product contains teratogenic substances, which can cause long-term damage to the human embryo.

The product contains substances that can damage the reproductive system.

This product contains an organic solvent. Repeated exposure to organic solvents can result in damage to the nervous system and inner organs, such as the liver and kidneys.

Additional labelling

Contains cobalt bis(2-ethylhexanoate). May produce an allergic reaction. Safety data sheet available on request. (EUH210)

Additional warnings

-

VOC

VOC-MAX: 300 g/l, MAXIMUM VOC CONTENT (A (SB)): 500 g/l.

SECTION 3: Composition/information on ingredients

3.1/3.2. Substances/Mixtures

NAME:	Naphtha (petroleum), hydrotreated heavy
IDENTIFICATION NOS.:	CAS-no: 64742-48-9 EC-no: 265-150-3 Index-no: 649-327-00-6
CONTENT:	25-40%
DSD CLASSIFICATION:	Xn;R65 R66
CLP CLASSIFICATION:	Asp. Tox. 1 H304, EUH066
NOTE:	S
NAME:	Distillates (petroleum), hydrotreated light
IDENTIFICATION NOS.:	CAS-no: 64742-47-8 REACH-no: 01-2119457736-27
CONTENT:	3-5%
DSD CLASSIFICATION:	Xn;R65 R66
CLP CLASSIFICATION:	Asp. Tox. 1 H304, EUH066
NOTE:	S
NAME:	Naphtha (petroleum), hydrotreated heavy
IDENTIFICATION NOS.:	REACH-no: 01-2119457273-39
CONTENT:	1-3%
DSD CLASSIFICATION:	Xn;R65 R66
CLP CLASSIFICATION:	Asp. Tox. 1 H304, EUH066
NOTE:	S
NAME:	cobalt bis(2-ethylhexanoate)
IDENTIFICATION NOS.:	CAS-no: 136-52-7 EC-no: 205-250-6 REACH-no: 01-2119524678-29
CONTENT:	<1%
DSD CLASSIFICATION:	Xi;R43 Rep3;R62 N;R50/53
CLP CLASSIFICATION:	Eye Irrit. 2, Skin Sens. 1, Rep. 2, Aquatic Acute 1, Aquatic Chronic 1 H317, H319, H361, H400, H410
NAME:	2,2'-bipyridyl
IDENTIFICATION NOS.:	CAS-no: 366-18-7 EC-no: 206-674-4
CONTENT:	<1%
DSD CLASSIFICATION:	T;R24/25
CLP CLASSIFICATION:	Acute Tox. 3 H301, H311

(*) See full text of H-phrases in chapter 16. Occupational exposure limits are listed in section 8, if these are available.

S = Organic solvent

Other informations

SECTION 4: First aid measures

4.1. Description of first aid measures

▼ General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor, if in doubt about the injured person's condition or if the symptoms continue. Never give an unconscious person water or similar.

Inhalation

Get the person into fresh air and stay with them.

Skin contact

Remove contaminated clothing and shoes at once. Skin that has come in contact with the material must be washed thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

Eye contact

Remove contact lenses. Flush eyes immediately with plenty of water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. If irritation continues, contact a doctor.

Ingestion

Give the person plenty to drink and stay with the person. If the person feels unwell, contact a doctor immediately and take this safety data sheet or the label from the product with you. Do not induce vomiting unless recommended by the doctor. Hold head facing down so that no vomit runs back into the mouth and throat.

Burns

Rinse with water until the pain stops and continue for 30 minutes.

▼ 4.2. Most important symptoms and effects, both acute and delayed

Reproductive toxicity: This product contains teratogenic substances which can do long-term damage to human offspring. The effects on the child can be: death, deformity, delayed development, and functional disorders.

Reproductive toxicity: This product contains substances which can do damage to reproductive capacity, e.g. damage to germ cells or hormonal regulation. The effects can be: sterility, reduced fertility, menstruation disorders, etc.

Neurotoxic effect: This product contains organic solvents, which can have an effect on the nervous system. Symptoms of neurotoxicity can be: loss of appetite, headache, dizziness, whistling in the ears, tingling sensations in the skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer. The skin will then be more prone to absorb dangerous substances, e.g. allergens.

This product contains substances that may cause an allergic reaction in people who are already so disposed.

4.3. Indication of any immediate medical attention and special treatment needed

No special

Information to medics

Bring this safety data sheet.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Water jets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

If the product is exposed to high temperatures, as in the case of fire, dangerous catabolic substances are produced. These are: Carbon oxides. Fire will result in thick black smoke. Exposure to catabolic products can damage your health. Fire fighters should use proper protection gear. Closed containers, which are exposed to fire, should be cooled with water. Do not let fire-extinguishing water run into sewers and other water courses.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact.

SECTION 6: Accidental release measures

▼ 6.1. Personal precautions, protective equipment and emergency procedures

According to EC-Regulation 1907/2006 (REACH)

- No specific requirements.
- ▼ **6.2. Environmental precautions**
No specific requirements.
- ▼ **6.3. Methods and material for containment and cleaning up**
Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. Cleaning should be done as far as possible using normal cleaning agents. Solvents should be avoided.
- ▼ **6.4. Reference to other sections**
See section on "Disposal considerations" with regard to the handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

SECTION 7: Handling and storage

- ▼ **7.1. Precautions for safe handling**
Because of the danger of self-ignition, any waste from the product, spray mist and soiled rags etc. are to be kept in a fire-proof place in air-tight containers, alternatively the waste is to be burned. See section on 'Exposure controls/personal protection' for information on personal protection.
- ▼ **7.2. Conditions for safe storage, including any incompatibilities**
Always store in containers of the same material as the original.
Storage temperature
Store frost-free.
- 7.3. Specific end use(s)**
This product should only be used for applications described in Section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

OEL

No data available

DNEL / PNEC

No data available.

8.2. Exposure controls

No control is necessary if the product is used in a normal way.

General recommendations

Smoking, consumption of food or liquid, and storage of tobacco, food or liquid, are not allowed in the workroom.

Exposure scenarios

If there is an appendix to this safety data sheet, the indicated exposure scenarios must be complied.

Exposure limits

There are no maximum exposure limits for the substances contained in this product.

Appropriate technical measures

Take ordinary precautions when using the product. Avoid inhalation of gas or dust.

Hygiene measures

Whenever you take a break in using this product and when you have finished using it, all exposed areas of the body must be washed. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment



▼ Generally

Only CE-marked personal protection equipment should be used. Use only CE marked protective equipment.

Respiratory Equipment

If the ventilation at the work place is not sufficient, use a half or whole mask with an appropriate filter or an

According to EC-Regulation 1907/2006 (REACH)

air-supplied respiratory protector. The choice depends on the concrete work situation and how long you will be using the product.

Skin protection

No specific requirements.

▼ **Hand protection**

Recommended: Nitrile rubber. . See the manufacturer's instructions

Eye protection

No specific requirements.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	Colour	Odour	pH	Viscosity	Density (g/cm ³)
Pasta	Various colours	Faint	-	-	0,9-0,95

Phase changes

Melting point (°C)	Boiling point (°C)	Vapour pressure (mm Hg)
-	-	-

Data on fire and explosion hazards

Flashpoint (°C)	Ignition (°C)	Self ignition (°C)
>61	-	-
Explosion limits (Vol %)	Oxidizing properties	
-	-	

Solubility

Solubility in water	n-octanol/water coefficient
Insoluble	-

9.2. Other information

Solubility in fat	Additional information
-	N/A

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in the section on "Handling and storage".

10.3. Possibility of hazardous reactions

No special

10.4. Conditions to avoid

No special

▼ **10.5. Incompatible materials**

Strong acids, strong bases, strong oxidizing agents, and strong reductants agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Substance	Species	Test	Route of exposure	Result
No data available.				

▼ **Skin corrosion/irritation**

No data available.

Serious eye damage/irritation

No data available.

Respiratory or skin sensitisation

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

According to EC-Regulation 1907/2006 (REACH)

No data available.

Reproductive toxicity

No data available.

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

▼ **Long term effects**

Reproductive toxicity: This product contains teratogenic substances which can do long-term damage to human offspring. The effects on the child can be: death, deformity, delayed development, and functional disorders.

Reproductive toxicity: This product contains substances which can do damage to reproductive capacity, e.g. damage to germ cells or hormonal regulation. The effects can be: sterility, reduced fertility, menstruation disorders, etc.

Neurotoxic effect: This product contains organic solvents, which can have an effect on the nervous system.

Symptoms of neurotoxicity can be: loss of appetite, headache, dizziness, whistling in the ears, tingling sensations in the skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer. The skin will then be more prone to absorb dangerous substances, e.g. allergens.

This product contains substances that may cause an allergic reaction in people who are already so disposed.

SECTION 12: Ecological information

12.1. Toxicity

Substance

No data available.

Species

Test

Test duration

Result

12.2. Persistence and degradability

Substance

No data available.

Biodegradability

Test

Result

12.3. Bioaccumulative potential

Substance

No data available.

Potential bioaccumulation

LogPow

BFC

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

This product contains ecotoxic substances which can have damaging effects on water-organisms. This product contains substances which can cause undesirable long-term effects in the water environment, due to its poor biodegradability.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

This product is not covered by the regulations on dangerous waste.

Waste

EWC code

-

Specific labelling

-

Contaminated packing

No specific requirements.

SECTION 14: Transport information

Not listed as dangerous goods under ADR, IMDG and IATA/ICAO regulations.

14.1 – 14.4

ADR/RID

According to EC-Regulation 1907/2006 (REACH)

- 14.1. UN number
- 14.2. UN proper shipping name
- 14.3. Transport hazard class(es)
- 14.4. Packing group
- Notes
- Tunnel restriction code

IMDG

- UN-no.
- Proper Shipping Name
- Class
- PG*
- EmS
- MP**
- Hazardous constituent

▼ IATA/ICAO

- UN-no.
- Proper Shipping Name
- Class
- PG*

14.5. Environmental hazards

-

14.6. Special precautions for user

-

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No data available

(*) Packing group

(**) Marine pollutant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

▼ Restrictions for application

People under the age of 18 must not be exposed to this product cf. Council Directive 94/33/EC.

Demands for specific education

-

Additional information

-

Sources

- EC regulation 1907/2006 (REACH)
- Directive 2000/532/EC
- EC Regulation 1272/2008 (CLP)

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

According to EC-Regulation 1907/2006 (REACH)

- R43 - May cause sensitisation by skin contact.
- R62 - Possible risk of impaired fertility.
- R65 - Harmful: may cause lung damage if swallowed.
- R66 - Repeated exposure may cause skin dryness or cracking.
- R24/25 - Toxic in contact with skin and if swallowed.
- R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- H301 - Toxic if swallowed.
- H304 - May be fatal if swallowed and enters airways.
- H311 - Toxic in contact with skin.
- H317 - May cause an allergic skin reaction.
- H319 - Causes serious eye irritation.
- H361 - Suspected of damaging fertility or the unborn child.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- EUH066 - Repeated exposure may cause skin dryness or cracking.

The full text of identified uses as mentioned in section 1

-

Other symbols mentioned in section 2

-

Other

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.
A change (in proportion to the last essential change (first cipher in SDS version)) is marked with a blue triangle.

The safety data sheet is validated by

Admin

Date of last essential change

(First cipher in SDS version)

22-05-2014

Date of last minor change

(Last cipher in SDS version)

21-05-2015