

SAFETY DATA SHEET

Page 1 of 6

Date: 13/10/2016

Non-Hazardous according to criteria of worksafe Australia
Non-Dangerous Goods
MAX BOND MAX PRIME ACRYLIC FLOOR AND WALL PRIMER

Revision: 0

1. Substance/preparation and company identification

1.1 Product Identifier

Max Bond Max Prime Acrylic Floor & Wall Primer

1.2 Product use and description

Floor and wall primer

1.3 Details of the supplier of the safety data sheet

Nexus Adhesives Pty Ltd
42 Healey Road, Dandenong South.
Victoria 3175 Australia
Telephone: +61 3 9706 4022
Telefax number: +61 3 9706 4122

1.4 Emergency telephone number

0417 489 877 [within Australia]

2. Hazard identification

2.1 GHS Hazard Classification:

Non-Hazardous according to criteria of WHS and ADG codes and regulations.

Non-Dangerous Goods

2.2 Hazard Statements

NOT APPLICABLE

2.3 Hazard Pictogram

NOT APPLICABLE

2.3 Signal Word

NOT APPLICABLE

2.4 Precautionary Statements - Prevention

| | |
|------|---|
| P261 | Avoid breathing dust/fumes/gas/mist/vapours/spray. |
| P264 | Wash hand thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P273 | Avoid release to the environment. |

2.5 Precautionary Statements – Response

| | |
|------|--|
| P330 | Rinse mouth. |
| P363 | Wash contaminated clothing before reuse. |
| P391 | Collect spillage. |

2.6 Precautionary Statements – Storage

| | |
|----------|--|
| P403+233 | Store in a well ventilated place. Keep container tightly closed. |
|----------|--|

SAFETY DATA SHEET

Page 2 of 6

Date: 13/10/2016

Non-Hazardous according to criteria of worksafe Australia
Non-Dangerous Goods
MAX BOND MAX PRIME ACRYLIC FLOOR AND WALL PRIMER

Revision: 0

2.7 Other hazards

Not Determined

3. Composition/information on ingredients

Chemical nature

Liquid

| Chemical Name | CAS No. | Conc (%w/w) | Classification |
|---------------------------|---------|-------------|----------------|
| Non-Hazardous ingredients | - | 95 - 98% | |
| Additives | - | To 100% | |

4. First-aid measures

4.1 Description of first aid measures:

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air and seek medical attention if breathing becomes difficult.

On skin contact:

Remove contaminated clothing, Wash thoroughly with soap and water.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, DO NOT induce vomiting unless directed to do so by a physician. Seek medical attention immediately.

Advice to doctor:

Treat symptomatically

5. Fire-fighting measures

5.1 Suitable extinguishing media:

Water fog, dry extinguishing media, foam, carbon dioxide

Product is not known to be flammable, combustible, pyrophoric or explosive.

5.2 Special hazards arising from the substance and mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3 Advice for fire fighters:

Full protective clothing and self-contained breathing apparatus when necessary

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

SAFETY DATA SHEET

Page 3 of 6

Date: 13/10/2016

Non-Hazardous according to criteria of worksafe Australia
Non-Dangerous Goods
MAX BOND MAX PRIME ACRYLIC FLOOR AND WALL PRIMER

Revision: 0

Avoid accidents, clean up immediately. Slippery when spilt.

6.2 Environmental precautions

Prevent spillage from reaching drains or waterways. If product does enter a waterway.

6.3 Methods and materials for containment and cleaning up

Contain and sweep/shovel up spills with dust binding material or use an industrial vacuum cleaner. Transfer to a suitable, labeled container and dispose of promptly. Recycle if possible.

7. Handling and storage

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Take precautionary measures against static discharges by bonding and grounding equipment. Avoid contact with eyes, skin and clothing. Do not inhale product dust/fumes. Avoid creating dust.

7.2 Conditions for safe storage, including any incompatibilities

Not classified as a dangerous good for storage or transport. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container and make sure label stay intact.

7.3 Specific end use

See section 1.2 for further information

8. Exposure controls and personal protection

8.1 Control parameters

Exposure Limit: Not known

8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation of the working area.

Hand protection:

Suitable chemical resistant safety gloves (PVC)

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Respiration apparatus:

Self-contained breathing apparatus. Suitable half mask respirator with filter P2 (e.g. EN 143)

Environmental exposure control:

See section 6 for further information.

General safety and hygiene measures:

Hands and/or face should be washed before breaks and at the end of the shift. Avoid contact with skin and eyes.

9. Physical and chemical properties

| | |
|-------------------------|-------------------|
| Appearance: | Liquid |
| Colour: | White/Cream |
| Odour: | mild odour |
| Odour threshold: | No data available |
| pH value: | Approx. 7.0 – 8.5 |

SAFETY DATA SHEET

Page 4 of 6

Date: 13/10/2016

Non-Hazardous according to criteria of worksafe Australia
Non-Dangerous Goods
MAX BOND MAX PRIME ACRYLIC FLOOR AND WALL PRIMER

Revision: 0

| | |
|--|-------------------|
| Melting/freezing point: | No data available |
| Initial boiling point: | No data available |
| Flash point: | Not Applicable |
| Evaporation rate: | No data available |
| Flammability: | Not Applicable |
| Vapour pressure: | No data available |
| Vapour density: | No data available |
| Relative density: | Approx. 1.04 kg/L |
| Solids content: | 8 – 12% |
| Solubility: | No data available |
| Partition coefficient: | No data available |
| Auto ignition temperature: | Not applicable |
| Viscosity: | 100 – 200 mPa.S |
| Specific heat value: | No data available |
| VOC content: | No data available |
| % volatile: | No data available |
| Saturated vapour concentration: | No data available |

10. Stability and reactivity

10.1 Reactivity

No data available for this product

10.2 Chemical stability

Stable under normal conditions.

10.3 Conditions to avoid

Temperature above 40 degrees centigrade or below 0 degrees centigrade

10.5 Incompatible materials and possible hazardous reactions

Oxidising agents, reducing agents.

10.6 Hazardous decomposition products

Will not decompose if stored and used as recommended.

11. Toxicological information

11.1 Information on route of exposure and symptoms

If inhaled:

May cause nausea and vomiting

On skin contact:

May cause sensitisation by skin contact.

On contact with eyes:

May cause inflammation and may damage the cornea.

On ingestion:

May cause nausea and vomiting.

11.2 Numerical measure of toxicity

Not Available

SAFETY DATA SHEET

Page 5 of 6

Date: 13/10/2016

Non-Hazardous according to criteria of worksafe Australia
Non-Dangerous Goods
MAX BOND MAX PRIME ACRYLIC FLOOR AND WALL PRIMER

Revision: 0

12. Ecological information

12.1 Ecotoxicity

Not Available

12.5 Other adverse effects

Not Available

13. Disposal considerations

13.1 Safe handling and disposal methods

Dispose of this material and its container, sending them to local company authorised for collection of hazardous waste.

13.2 Disposal of any contaminated packaging

Reuse containers if possible, or dispose of in an authorised landfill.

14. Transport information

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1 Environmental hazards

| | |
|-----------------------|----|
| Environmental hazards | NO |
| Marine pollutant | NO |

15. Regulatory information

15.1 Safety, health and environmental regulations specific for the product

No other information available

15.2 Poisons schedule number

None allocated

16. Other information

Any other intended applications should be discussed with the manufacturer.

| Revisions: | Date | Sections Reviewed |
|------------|------------|-------------------|
| 0 | 13/10/2016 | - |

Contact
Technical
0417489877

Sales
0448395091

Asterisk * in the left hand margin indicate an amendment from the previous version.

SAFETY DATA SHEET

Page 6 of 6

Date: 13/10/2016

Non-Hazardous according to criteria of worksafe Australia
Non-Dangerous Goods
MAX BOND MAX PRIME ACRYLIC FLOOR AND WALL PRIMER

Revision: 0

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agree property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.