



# TILING ACCESSORIES

[mjsfloorcoverings.com.au](http://mjsfloorcoverings.com.au)

# THE PROUD HISTORY OF **MJS Floorcoverings**

MJS, an Australian family owned and operated Company, was founded by the late Mervyn John Sturgess (MJS) in 1967.


Originally founded in Brisbane, MJS now has a national footprint, supplying professional products from brand leaders to the flooring industry of Australia.

MJS owes its continued success to its pillars of strength being; satisfied customers, dedicated team, quality suppliers and family values.

In our MJS Tiling Accessories Catalogue you will find a selection of products from the brands we represent of accessories associated with the tiling industry including adhesives, levelling compounds, machinery, waterproofing, trims, trowels, diamond & general tooling and much, much more!

We thank you for your consideration and support of MJS.

***Thank you to  
our Suppliers***





# WHAT'S inside

---

<b>Grouts</b>	5
<b>Waterproofing</b>	9
<b>Trowels, Spreaders &amp; Mixers</b>	16
<b>Sponges &amp; Scourers</b>	21
<b>Sigma Tile Cutters</b>	25
<b>Diamond Grinding</b>	29
<b>Bathroom Accessories</b>	37
<b>Machinery</b>	41

2	<b>Adhesives, Levellers &amp; Screeds</b>
7	<b>Silicones, Sealants &amp; Primers</b>
11	<b>Trims</b>
19	<b>Tile Spacers, Wedges &amp; Levelling Systems</b>
23	<b>Tiling Tools</b>
27	<b>Diamond Blades</b>
33	<b>Dust Extraction</b>
39	<b>General Tools</b>
44	<b>Contact details</b>





TILE

FLOOR

WALL

BONDING

MULTIPURPOSE

LIQUID POLYMER



# Adhesives, Levellers & Screeds

# All your adhesive, levellers & screed needs



## ARDEX X44 TROPICAL GLUE

| X44

20kg

- » Flexible rubber modified wall and floor tile adhesive
- » Specially formulated for improved working and applications in tropical climates
- » Flexible, achieves S1 classification



## ARDEX X42 ARDEFLEX | X42

20kg

- » Rubber modified wall and floor tile adhesive
- » Suitable for most tile types including ceramic tiles, porcelains, non-moisture sensitive marble, slate, granite and mosaics
- » Low VOC – meets Green Building Council of Australia Green Star IEQ-13 requirements



## ARDEX X18 FIBRE REINFORCED FLEXIBLE NON SLUMP WALL AND FLOOR TILE ADHESIVE | X18

15kg

- » Superior white polymer fortified cement-based wall & floor tile adhesive
- » Fibre reinforced for extra strength & peace of mind
- » Ideal for large format & heavy tiles



## ARDEX D5 READY MIXED WALL TILE ADHESIVE | D520

20kg

- » White, ready mixed, thin bed, interior wall tile adhesive
- » Smooth, viscous paste & ready to trowel
- » For use with all types of ceramic tiles



## ARDEX X17 FLEXIBLE NON-SLUMP FLOOR & WALL ADHESIVE | X17

20kg

- » White, polymer fortified cement-based wall & floor tile adhesive
- » Extended open time, non-slump and flexible
- » Suitable for internal & external use



## ARDEX X7 WALL & FLOOR TILE ADHESIVE | X7

20kg

- » High performance thin bed mortar
- » Extended open time and non-slump
- » Suitable for internal & external use



## ARDEX X56 HIGHLY FLEXIBLE TILE ADHESIVE | X56

20kg

- » Highly flexible, fast setting tile adhesive
- » Suitable for tiling directly to timber and over heated slabs
- » Suitable for early age concrete - tile sooner over concrete



## ARDEX D2 PREMIUM NON-SLUMP WALL TILE ADHESIVE | D222

22kg

- » Superior non-slump & shear adhesion capabilities
- » Excellent workability - smooth consistency, easy to trowel
- » Approved for use in wet areas without compromising adhesion strength



**ARDEX ABACRETE BONDING AGENT FOR USE WITH SAND/ CEMENT SCREEDS AND RENDERS | ABC20**

**20kg**

- » Liquid polymer additive that greatly improves shear and tensile bond strength
- » Improves water resistance
- » Accommodates thermal movement



**ARDEX ABALASTIC LIQUID POLYMER ADDITIVE FOR ARDEX CEMENT BASED ADHESIVES & COMPOUNDS | ABL20**

**20kg**

- » For use with standard grade cement-based adhesives
- » To impart flexibility and improve adhesion, water resistance and shear strength
- » May also be used with sand/ cement mortar toppings 10-25mm



**ARDEX E90 ADMIX FOR CEMENT-BASED TILE ADHESIVES | E9036**

**3.6kg**

- » Special synthetic dispersion additive for use with cement-based adhesives
- » Provides a water resistant mortar when tiling in showers, pools etc.
- » Allows direct fixing over existing tiles



**ARDEX ISOFLEX TWO PART FLEXIBLE UNDERLAY/ ADHESIVE FOR FLOOR & WALL TILES | ISOKIT**

**20kg Liquid + 2 x 20kg Powder**

- » Highly flexible, accommodates normal expansion/contraction associated with timber & concrete up to 1.3mm
- » Tile to a wide range of substrates including direct to timber
- » Reduces impact and airborne noise transmission



**ARDEX A48 RAPID SET CEMENT SCREED | A48**

**20L**

- » Premixed cement and aggregate for simple onsite installation
- » Can be walked on and ready to receive tiles after 4 hours
- » Coverage 1m<sup>2</sup> per 10mm



**ARDEX LQ92 UNDERTILE LEVELLING COMPOUND | LQ92**

**20kg**

- » Self-smoothing – provides level concrete floors, perfect for tiling
- » Early walkability – can be walked on or tiled over after 4 hours
- » Polymer modified – can be applied from feather edge up to 25mm



**ARDEX A36 PREMIXED SAND CEMENT SCREED | A36**

**20kg**

- » Factory proportioned premixed sand/cement screed
- » Especially designed to achieve falls for water run-off
- » Ready to receive tiles after 7 days



**FLEXIBLE COLOURED**

**NON-SANDED**

**NON-SHRINK**

**WATER-BASED**

**FINE TEXTURE**



---

# Grouts

# All your grout needs



## **ARDEX FG8 FLEXIBLE COLOURED GROUT FOR TILE JOINTS 1-8 MM**

| **FG820 & FG85**

**5kg & 20kg**

- » Smooth, flexible cement-based grout
- » Suitable for tile joints 1-8mm and easy to use on walls and floors
- » Available in a wide range of colours




## **ARDEX FS-DD NON-SANDED, CEMENT-BASED, WALL & FLOOR GROUTING COMPOUND**

| **FSDD20 & FSDD5**

**5kg & 20kg**

- » Specifically designed for polished porcelain to avoid scratches
- » Water repellent & dirt resistant for longer lasting new look
- » Suitable for internal & external use



## **ARDEX WJ50 NON-SHRINK COLOURED WIDE JOINT GROUT 2-50MM**

| **WJ50**

**20kg**

- » Sanded, cement-based tile grout
- » Ideal for use in joint widths 2mm - 50mm without shrinking
- » Available in a range of colours



## **ARDEX EG15 EASY CLEAN HIGH PERFORMANCE EPOXY GROUT | EG15AB & EG15C**

**1L Part A + 500ml Part B + Colour Pack 5kg Part C**

- » Use where strict hygiene standards, high chemical & physical resistance are required
- » Exceptionally easy to clean during application
- » Can be used in joints up to 15mm on walls and floors



## **ARDEX WHITE GROUT FINE TEXTURE WALL TILE GROUT | WG20**

**20kg**

- » Fine textured, smooth, bright white wall grout
- » Ideal for use for joints 1mm to 3mm
- » Suitable for internal wall tiling applications



## **ARDEX GROUT BOOSTER WATER-BASED POLYMER GROUT IMPROVER | GRB4**

**4L**

- » Specially formulated for use with cement-based grouts
- » Recommended for use over substrates subject to movement eg. timber floors
- » Ideal for swimming pools and reducing efflorescence



POLYURETHANE

FAST-SETTING

NEUTRAL CURE

FLEXIBLE

ROOF & GUTTER

RESIN-BASED

WATER-BASED



# Silicones, Sealants & Primers

# All your silicone, sealant primer needs



**ARDEX RA 040 ONE COMPONENT, POLYURETHANE BASED JOINT SEALANT | RA040**  
600ml

- » Excellent bond strength to most porous & non-porous substrates without the use of a primer
- » Non-sag and perfect for vertical and overhead repairs
- » Excellent weathering and UV stability



**ARDEX RA 54 FAST SETTING SEMI-RIGID POLYUREA JOINT SEALANT | RA54**  
254ml

- » Fill interior control joints or new construction joints
- » Designed for industrial floor applications receiving heavy duty traffic
- » Rapid cure - Trafficable in 90 minutes



**ARDEX SE FLEXIBLE SEALANT FOR USE IN TILE MOVEMENT JOINTS | SE310**  
310ml

- » Elastic - withstands 25% total movement of original joint width
- » Colour matched to popular grout and sanitary ware
- » Waterproof - suitable for wet areas such as showers



**BOSTIK 6S NEUTRAL CURE SANITARY & TILING SILICONE SEALANT | 6SSILC**  
300ml

- » One-component, non-flowing, neutral cure, mid modulus silicone sealant
- » Contains an effective fungicide to reduce the growth of mould & mildew
- » Available in a wide range of colours



**BOSTIK ROOF & GUTTER SILICONE SEALANT | SILC**  
300ml

- » Premium, one-component mid modulus, neutral curing 100% silicone
- » Provides excellent adhesion to a wide variety of substrates
- » Suitable for internal & external applications



**ARDEX CA 20 P MULTIPURPOSE CONSTRUCTION ADHESIVE & SEALANT | CA20P**  
310ml

- » High initial tack with high bond strength and adheres to virtually every building material
- » Can be used underwater, ideal for minor repair applications
- » Use to seal expansion & connection joints



**ARDEX MULTIPRIME WATER-BASED PRIMER | MUL4, MUL20**  
4L & 20L

- » For improving adhesion of Ardex products to various porous substrates
- » Quick drying - Apply subsequent products sooner
- » Suitable for internal and external walls and floors



**ARDEX P9 SINGLE PART PRIMER | P94**  
4L

- » Improves adhesion to smooth, dense and non porous substrates
- » For use with tile adhesives and floor levellers and easy to apply with brush or roller
- » Suitable for internal and external walls and floors



**ARDEX P82 SYNTHETIC RESIN-BASED PRIMER**  
1kg Part A + 1kg Part B | A822  
4kg Part A + 4kg Part B | A828

- » Water-based, two component synthetic resin primer & bonding agent
- » Use prior to the application of Ardex tile adhesives
- » For use on smooth and non-porous surfaces



**SLAB SEAL**

**SUPERFLEX**

**HYDREPOXY**

**MODIFIED POLYURETHANE**

**SELF ADHESIVE**

**WEB WOVEN POLYESTER**



# Waterproofing



# All your waterproofing needs



## ARDEX PU30 RAPID POLYURETHANE PRIMER & GREEN SLAB SEALER | PU30 11kg

- » One-part component polyurethane primer and green slab sealer for use on internal and external porous and non-porous substrates
- » Penetrates the surface of the substrate blocking capillary moisture up to 98% RH, while strengthening and consolidating the surface up to 2mm in depth
- » For use on absorbent, smooth and dense surfaces such as concrete, green concrete, floor levelling compounds and smoothing cements



## ARDEX DECK WEB WOVEN POLYESTER REINFORCEMENT CLOTH | DW50 190mmx50m

- » Reinforced cloth used in critical areas like cracks, movement joints, corner/coving areas and also wall floor junctions
- » Designed as a reinforcement for membranes
- » Also used to reinforce corner interfaces between floors and walls



## ARDEX WPM002 (SUPERFLEX TWO PART) UNDERTILE MEMBRANE | WPM002 20kg Liquid Part A + 2 x 20kg Powder Part B

- » Rapid drying, two-part waterproofing membrane specifically designed for use under tiles
- » Advanced acrylic - Will not re-emulsify
- » Rapid drying time



## ARDEX WPM300 (HYDREPOXY) MEMBRANE / BARRIER COATING | WPM300 20L Kit

- » Water resistant, prevents rising damp and formation of efflorescence
- » Excellent adhesion to most substrates including damp surfaces and freshly laid green concrete
- » Water based - safe to use in sensitive locations



## ARDEX WPM368 SINGLE PART BARRIER MEMBRANE | WPM368 20kg

- » Water resistant, prevents rising damp and formation of efflorescence
- » Leading edge innovative technology for liquid applied membranes
- » Suitable for under tiles and under floor levellers



## ARDEX WPM155 MODIFIED POLYURETHANE FOR UNDERTILE WATERPROOFING | WPM155 15L

- » Modified polyurethane acrylic waterproof membrane
- » Excellent adhesion with Ardex tile adhesives
- » Environmentally friendly - solvent free, suitable for confined areas



## ARDEX STB SELF ADHESIVE BUTYNOL TAPE | STB75 75mmx15m

- » An uncured butynol tape with a fleece layer
- » Easy to use with Ardex waterproofing systems
- » For use with Ardex WPM155 Rapid

ALUMINIUM SHAPE ANGLE

UNPERFORATED  
ALUMINIUM ANGLE

ALUMINIUM RETRO  
FIT L-SHAPE ANGLE

ALUMINIUM SQUARE EDGE

ALUMINIUM TRANSITION

ALUMINIUM  
MOVEMENT JOINT

RETRO-FIT TRANSITION

ROUND EDGE ALUMINIUM

BALCONY



# Trims

# All your trim needs



## ALUMINIUM L-SHAPE ANGLE

Available sizes: 4.5, 6, 8, 9, 10, 11, 12.5, 13, 15, 18.5, 20, 22 & 25mm

- » Aluminium angle for tile and flooring edge protection
- » Used where tile meets carpet, wooden floors etc.
- » Creates an attractive finish if used on external corners
- » 3.0m lengths

Colour	4.5mm	6mm	8mm	9mm	10mm	11mm
Black Gloss	ALA34BK	ALA36BK	ALA38BK	-	•	-
Brush Black	-	•	•	-	•	•
Brush Finish	•	•	•	-	ALA310BFS	ALA311BFS
Bright Gold	-	•	•	•	•	-
Bright Silver	ALA34BS	ALA36BS	ALA38BS	ALA309BS	ALA310BS	ALA311BS
Matt Black	•	•	•	-	ALA310MBL	ALA311MBL
Matt Silver	•	•	ALA38MS	ALA309MS	ALA310MS	ALA311MS
Matt White	•	•	•	ALA309MW	ALA310MW	ALA311MW
Plain	ALA34	ALA36	ALA38	ALA309	ALA310	ALA311
White Gloss	•	•	•	•	•	•

Colour	12.5mm	13mm	15mm	18.5mm	20mm	22mm	25mm
Black Gloss	ALA312BK	-	ALA315BK	•	-	ALA322BK	-
Brush Black	•	-	•	-	ALA320BFBK	-	•
Brush Finish	ALA312BFS	•	•	•	•	•	•
Bright Gold	•	-	•	•	-	-	-
Bright Silver	ALA312BS	•	ALA315BS	ALA318BS	•	ALA322BS	•
Matt Black	ALA312MBL	-	•	•	•	•	-
Matt Silver	ALA312MS	•	•	•	•	•	•
Matt White	ALA312MW	-	•	•	•	•	-
Plain	ALA312	•	ALA315	ALA318	•	ALA322	•
White Gloss	ALA312MW	-	•	•	-	•	-

Products marked • are not stocked items but are available to order





## UNPERFORATED ALUMINIUM L-SHAPE ANGLE

- » Various size angle for commonly used self levelling compounds and screeds
- » Available in a large range of sizes
- » 4.0m lengths

Colour	20mm x 12mm x 1.5mm	20mm x 25mm x 1.5mm	20mm x 25mm x 3mm	40mm x 25mm x 1.5mm	40mm x 25mm x 3mm
Plain	•	•	•	PAA44025	•

Products marked • are not stocked items but are available to order



## RETRO FIT L-SHAPE TRIM

Available sizes: 10, 15 & 20mm

- » Retro fits to tiles where trim is added after the tiling process is completed
- » Ideal for creating a stylish and professional finish
- » Includes adhesive tape for easy application
- » 3.0m lengths

Colour	10mm	15mm	20mm
Brush Black	•	•	ARL320BFBK
Brush Finish	•	ARL315BFS	•
Bright Silver	ARL310BS	ARL315BS	•
Matt Black	ARL310MB	ARL315MB	ARL320MB
White	•	•	•

Products marked • are not stocked items but are available to order



## ALUMINIUM SQUARE EDGE TRIM

Available sizes: 6.5, 8.5, 10.5, 12.5 & 16mm

- » Decorative trim to create an elegant look
- » Ideal for; external corners both vertical and horizontal, transition between carpet and tile and finishing trim on a vertical wall
- » Square finish trim for tile protection
- » 3.0m lengths

Colour	6.5mm	8.5mm	10.5mm	12.5mm	16mm
Black	•	•	ASQE310BK	ASQE312BK	•
Bright Gold	•	•	•	•	-
Bright Silver	•	ASQE38BS	ASQE310BS	ASQE312BS	•
Brush Black	-	•	•	•	-
Brush Finish	•	•	•	•	•
Matt Black	•	•	•	•	•
Matt Silver	•	ASQE38MS	ASQE310MS	ASQE312MS	•
Matt White	•	•	ASQE310MW	•	•
Plain	•	•	•	•	-
White	•	•	•	•	-

Products marked • are not stocked items but are available to order



## ALUMINIUM TRANSITION TRIM

Available sizes: 8, 10, 12, 16 & 18.5mm

- » Ideal for domestic or commercial application
- » Incline allows for a gradual transition from either concrete, wood floor or vinyl to protect the edge of the tile
- » Profiles 12.5mm and larger have a support leg for extra strength
- » 3.0m lengths

Colour	8mm	10mm	12mm	16mm	18.5mm
Black	•	-	-	-	-
Bright Silver	•	ATSE310BS	•	•	•
Matt Silver	•	ATSE310MS	ATSE312MS	•	•
Plain	ATSE308	ATSE310	ATSE312	•	•

Products marked • are not stocked items but are available to order



## ALUMINIUM MOVEMENT JOINT TRIMS


Available sizes: 8, 10, 11, 12, 15, 18 & 22mm

- » Prefabricated movement joint designed to allow for expansion and contraction of floors
- » Neoprene insert available in both grey and black
- » Aluminium angles protect edge of tiles from damage
- » 3.0m lengths

Colour	8mm x 10mm	10mm x 10mm	10mm x 6mm	11mm x 10mm	11mm x 6mm	12mm x 10mm
Black	•	•	•	•	•	•
Grey	•	PANG3A10X10G	•	•	•	•

Colour	12mm x 6mm	15mm x 10mm	15mm x 6mm	18mm x 10mm	18mm x 6mm	22mm x 10mm	22mm x 6mm
Black	•	•	•	•	•	•	•
Grey	•	•	•	-	•	•	•

Products marked • are not stocked items but are available to order



## RETRO-FIT TRANSITION TRIM

Available sizes: 3, 5, 9 & 13mm

Available colour: silver

- » Allows for a gradual transition between floor finishes
- » Ideal for domestic or commercial application
- » Fast fitting and consistent finish

### Code

### Description

RTR3303	RETRO-FIT TRANSITION X 3.3M SILVER – SUITS 3-5MM
RTR305	RETRO-FIT TRANSITION X 3M SILVER - SUITS 5-8MM
RTR309	RETRO-FIT TRANSITION X 3M SILVER - SUITS 9-12MM
RTR313	RETRO-FIT TRANSITION X 3M SILVER – SUITS 13-16MM



## ROUND EDGE ALUMINIUM TRIM

Available sizes: 6, 8, 10 & 12mm

- » Semi-quadrant finish for tile edge protection
- » Designed for wall and external corner applications
- » Creates an elegant look
- » 3.0m lengths

Colour	6mm	8mm	10mm	12mm
Black Gloss	-	•	•	-
Bright Gold	•	-	•	•
Bright Silver	•	ARE38BS	ARE310BS	ARE312BS
Brush Finish	-	•	•	•
Matt Silver	•	ARE38MS	ARE310MS	ARE312MS
Plain	•	•	•	•
White	•	•	•	•

Products marked • are not stocked items but are available to order



## STEP EDGE ALUMINIUM TRIM

Available sizes: 8, 10 & 12mm

- » Tile in safety step edge trim with rippled surface
- » Rippled surface for extra grip
- » Tested to the requirements of AS 4586:2013 with a P4 Slip Resistance rating
- » 3.0m lengths

Colour	8mm	10mm	12mm
Bright Silver	•	•	•
Matt Silver	ASE308MS	ASE310MS	ASE312MS
Plain	ASE308	ASE310	ASE312

Products marked • are not stocked items but are available to order



## BALCONY TRIM

Available sizes: 8, 10 & 12mm

- » Weep holes located every 300mm
- » Internal and external corners available
- » Ideal for creating a stylish and professional finish
- » 3.0m lengths

Colour	8mm	10mm	12mm
Plain	•	•	•
Matt Silver	•	ALBTW310MS	ALBTW312MS

Products marked • are not stocked items but are available to order



**STEEL TROWEL**

**PLASTIC TROWEL**

**RUBBER TROWEL**

**POLYURETHANE FLOAT**

**ADHESIVE SPREADER**

**GROUTER**

**CAULKING GUN**

**PALINGS**

**MIXER**



---

# Trowels, Spreaders & Mixers

# All your trowel, spreader & mixer needs



## **BRIGHT STEEL ADHESIVE TROWEL RENOVATOR SERIES**

| **BSTR8, BSTR10, BSTR12 & BSTR15**  
280mm x 115mm

- » Dual square notched edge design
- » Rubber contoured handle
- » Available in 8mm, 10mm, 12mm & 15mm



## **BRIGHT STEEL ADHESIVE TROWEL TRADE SERIES**

| **BST4, BST6, BST8, BST10, BST12**  
280mm x 115mm

- » Dual square notched edge design
- » The ultimate in comfort and durability
- » Available in 4mm, 6mm, 8mm, 10mm, 12mm



## **SPLASH TROWEL | ST200** 200mm

- » Splash trowel for mixing and applying adhesive
- » Hardened spring steel construction
- » Comfortable contoured rubber handle




## **GAUGING TROWEL | GT018** 200mm

- » Used for applying adhesive
- » Hardened spring steel construction
- » Comfortable contoured rubber handle



## **DELUXE TROWEL | P037** 280mm L x 115mm W

- » Deluxe trowel for applying adhesive or plaster
- » Hardened steel spring construction
- » Durable die cast aluminium with contoured rubber handle



## **PLASTIC/RUBBER POINT TROWEL | PRPT**

- » Durable, light weight plastic with rubber base
- » Ideal for small or large renovations



## **HANDYPERSON RUBBER POINTED TROWEL | HRPT**

- » Lightweight and durable rubber base with comfortable handle
- » Pointed front for grouting internal wall or floor corners



## **POLYURETHANE FLOAT LARGE | DTAPFL**

- » Lightweight and easy to use
- » Strong one piece handle and base
- » Durable polypropylene construction



## **QUIK SWITCH KIT | QSTK** 6, 8, 10, 12 & 15mm square blades

- » 2 part system comprising of handle and interchangeable bases
- » Handle and storage box included
- » Multiple blades



**ADHESIVE SPREADER | AS6, AS8 & AS10**

6, 8 & 10mm

- » Durable galvanised steel construction
- » Ideal for small repair jobs or mosaic pieces
- » Square notched edge design



**RUBBER FLOAT | DTARF9**  
100x230mm

- » Sleek design and comfort handle make smoothing grout a breeze
- » Made of foam core construction with a rubber base
- » Ergonomic handle for increased comfort



**TRADESMAN GROUTER 9" | TG9**  
228mm

- » Large handle and rubber grouting strip for optimal comfort and durability.
- » Ideal for grouting larger tiled areas



**HEAVY DUTY CAULKING GUN | CGUN**

- » Adjustable to 1:1 (627ml) and 2:1 (470ml) ratio cartridges
- » 26:1 Thrust Ratio for maximum power applications of thick materials
- » Also recommended for Ardex crack repair system



**ARDEX CLEAR MIXING PAIL | MBKT**  
20L

- » Clear pail used for mixing powders & water
- » Measurements shown on side of pail for a visual guide ensuring consistency
- » 20L size



**ARDEX ELECTRIC MIXER | 16944**

- » Professional 1600 watt , two geared variable speed mixer
- » Designed specifically for use with tile adhesives and floor levelling products to provide the right vortex of mix to get optimal results
- » Comes with a blow-moulded case and has a removable paddle mixer



**GLUE & PAINT MIXER | GPML & GPMM**

Available in medium and large

- » Nickel plated steel construction
- » Use with an electric drill for fast and efficient mixing
- » Available in multiple sizes



**TWIST GLUE MIXER | MH2140**  
140mm

- » 140mm twist mixing paddle
- » Works material upwards
- » Suitable for M1200 and M1400 mixer



**GLUE ECONOMY MIXER | AGL**  
80x8x400mm

- » Powdercoated steel construction
- » Use with an electric drill for fast and efficient mixing
- » 12 per pack



TILE SPACERS

TILE WEDGES

ALIGNMENT WEDGES

ALIGNMENT SPACERS

LEVELLING SYSTEMS



# Tile spacers, Wedges & Levelling Systems

# All your tile spacer, wedging & levelling needs




**1.5MM TILE SPACERS | SL100 & SL500**  
20x3mm

- » Cross type spacer for 1.5mm gaps
- » For straight/diagonal laying of smaller wall/floor tiles e.g. 200x200mm
- » Available in bags of 100 & 500



**2MM TILE SPACERS | 2500**  
28x3mm

- » Cross type spacer for 2mm gaps
- » For straight/diagonal laying of smaller wall/floor tiles e.g. 200x200mm
- » Available in bag of 500



**3MM TILE SPACERS | 3500 & CS3100**  
24x4mm

- » Cross type spacer for 3mm gaps
- » For straight/diagonal laying of smaller wall/floor tiles e.g. 300x300mm
- » Available in bags of 100 & 500



**5MM TILE SPACERS | 5500**  
28x4mm

- » Cross type spacer for 1.5mm gaps
- » For straight/diagonal laying of smaller wall/floor tiles allowing more movement than 1.5 and 3mm spacers
- » Available in bag of 500



**TILE WEDGES | W500**  
30x5mm

- » Wedge type spacer allows 0.5-5mm gap under wall tiles
- » To level wall tiles if the floor is uneven or needs slight adjustment
- » Rough surface for extra grip
- » Available in bag of 500



**SPACER WEDGE LEVELLING SYSTEM | WLS500 & WLS2000**  
1.5mm – Suits up to 12mm tiles

- » Holds tiles level
- » Eliminates lippage on uneven tiles
- » Available in packs of 500 & 2000



**WEDGE LEVELLING SYSTEM FLOOR TOOL | WLFT**

- » Adjustable tension
- » Adjustable for different tile thickness
- » Tile leveling system for quick tile installation and lippage-free surface



**WEDGE LEVELLING SYSTEM – WEDGES | WLW250**

- » Holds tiles level
- » Eliminates lippage on uneven tiles
- » Available in bag of 250

**TILERS CHOICE**

**SMALL CLIP-ON**

**DELUXE VELCRO**

**SCOURING SET**

**MICROFIBRE**

**VELCRO HYDRO**



---

# Sponges & Scourers



# All your sponge & scourer needs



## TILERS CHOICE HYDRO SPONGE | TCHS128

300x200mm

- » Multi-purpose hydro sponge
- » Ideal for cleaning large tiled and slate areas after grouting
- » Professionals choice



## SMALL CLIP-ON HYDRO SPONGE (SPONGE ONLY)

| CLSPS

340x185mm

- » Hydro sponge for extra absorption
- » 4 clips for extra strength



## TILERS MICROFIBRE SPONGE

| MFS75

190x140mm

- » Microfibre surface for superior finishing
- » Ideal for cleaning excess grout off tiles during the grouting process
- » Will outlast other sponges



## VELCRO HYDRO SPONGE AND HANDLE | VDSH

280x140mm

- » Segmented design allows for efficient rinsing and grout removal



## DELUXE VELCRO HYDRO SPONGE (SPONGE ONLY)

| DTAVSPD

280x140mm

- » Segmented design allows for efficient rinsing and grout removal



## TILERS & SLATERS SPONGE LARGE | TSS128

300x200mm

- » Ideal for cleaning large tiled and slate areas after grouting
- » Hydro sponge for extra absorption



## SCOURING SET TRIPLE PACK

| SCTP

- » Ideal for removing grout haze and grout from tiles
- » Scouring set includes:
  - Fine Pad** - Designed for surfaces that are sensitive to scratching
  - Medium Pad** - Ideal for removing grout residue from newly laid tiles
  - Course Pad** - Ideal for removing old waxes and sealers from tiles



## NEOPRENE RUBBER SQUEEGEE

| SNR600

600mm

- » Strong neoprene rubber
- » Complete with adaptor for fitting for telescopic handle
- » Adaptor can be removed to fit normal 25mm handle

SCRAPER

MALLET

TILE CUTTERS

APPLICATORS

TILE SCRIBER

TILE NIPPERS



---

# Tiling tools

# All your tiling tool needs



## DELUXE WALL SCRAPER

| 4DWS

100mm

- » Ideal for removing tiles from wall displays, showers and splashbacks
- » Rubber contoured handle with steel cap for extra strength
- » Steel blade 1.2mm thick, bent for extra leverage



## WHITE RUBBER MALLET

| RM2W

600g

- » Designed to easily embed larger tiles into adhesive and screed
- » White rubber protects the surface of tiles from damage and marks
- » Solid construction and heft for reassurance



## ECONOMY GROUT REMOVER

| 22291E

- » Twin blade design enables grout removal from wide or tight joints
- » Corrosion-resistant bright metal finish
- » Includes tungsten carbide tipped and steel toothed blade



## CURVED JAW TILE NIPPER

| 09011

- » Curved jaw nipper
- » Hardened tungsten carbide jaws
- » Cuts small curved sections in tiles



## PARROT BEAK NIPPER

| 09204

- » Parrot beaked jaw nipper
- » Tungsten carbide tipped jaws
- » Cuts larger holes from the middle of tiles



## STRAIGHT JAW HAND TILE CUTTER – OFFSET

| 09012

- » Straight jaw nipper
- » Hardened tungsten carbide jaws
- » Cuts small straight sections in tiles



## GROUT REMOVER + TILE CUTTER

| 22291CG

- » Multi-function tile glass cutter and grout remover tool
- » Small tungsten carbide scoring wheel and two steel pins for tile and glass breaking
- » Grout remover comes with two tungsten carbide tipped blades



## XTRABOND APPLICATOR STICKS

| XBAS50

50 a pack

- » Quickly removes excess silicone
- » Forms a neat cove or fillet without masking tape
- » Available in bulk pack of 50



TILE CUTTER


SPARE WHEEL & SPINDLE



---


# Sigma tile cutters

# All your sigma tile cutter needs



**SIGMA TILE CUTTER | ART3D2**  
950mm

- » Broad tile support table
- » Double tile thickness cutting adjustments
- » Easy to dismantle and transport



**129CM SIGMA TILE CUTTER**  
| ART3E4K  
1290mm cutting capacity

- » Pull action tile cutter with sprung metal table
- » Double tile thickness cutting adjustments
- » Patented measuring bar swivels from 0° to 48° allowing cutting lengths to be seen at any angle



**95CM SIGMA TILE CUTTER**  
| ART14A  
95cm cutting capacity

- » 12mm Sigma spare wheel and spindle
- » Suits a large range of Sigma tile cutters
- » Tungsten material



**DIAMOND BLADES**

**DRESSING STONES**

**DIAMOND DRILL BITS**

**GRINDING &  
POLISHING DISCS**

**TRIANGULAR HOLE  
CUTTERS**

**SUCTION CUPS**



# Diamond blades



# All your diamond blade needs



**DIAMOND BLADE - TURBO  
WHITE LIGHTNING | TT105 & TT125**  
105 & 125mm

- » Cuts cleanly and precisely
- » Wet or dry use
- » Extra core strength



**CONTINUOUS RIM - TILE  
BLADES | CR4 & CR5**

- » Chip free cutting on ceramic, terracotta, granite and porcelain tiles
- » For use on angle grinders and suitable for wet or dry cutting
- » Available in sizes: 4" 100mm x 1.2mm and 5" 125mm x 1.4mm



**GRINDING/POLISHING DISC**  
| PVA100036, PVA100060 & PVA100120  
36, 60 & 120 grit

- » Silicon carbide abrasive material
- » 16mm bore
- » 11400RPM



**DIAMOND BLADE DRESSING  
STONE | DBDS**  
10 a pack

- » For use with diamond blades and diamond core bits to maintain condition
- » Use to re-expose blade diamonds if they foul or clog up during clay cutting
- » Can be used dry or wet



**DIAMOND DRILL BIT | DCT06E,  
DCT08E, DCT10E & DCT12E**  
6, 8, 10 & 12mm

- » Suited to drilling porcelain
- » Recommended drilling speed 1000 RPM
- » Ideal for use with suction cap guides



**DIAMOND CORE BIT | DCT38E &  
DCT50E**  
38 & 50mm

- » Ideal to use with suction cap guides with water supply for drilling porcelain, ceramics and stone
- » Electro plated diamond coating
- » Use with water



**DRY CUT DIAMOND DRILL BIT**  
| DDB08, DDB10 & DDB12  
8, 10 & 12mm

- » Hexagonal shaft
- » 2000-3000 RPM
- » Suitable for the drilling of porcelain, marble, granite, ceramic, limestone, slate, terracotta, fibreglass, travertine and masonry



**MINI PVC SUCTION  
CUP & GUIDE | DTAMSCG**

- » Used to prevent drill bits slipping when drilling
- » Suitable for 4, 6, 8, 10 & 12mm drill bits
- » Pressurised water bottle can be attached to add water (DTAWB)



**TRIANGULAR HOLE CUTTER |  
THC**  
2mm – 75mm adjustable cutter

- » Triangular hole cutters with an arrow shape
- » Tungsten carbide edges designed for drilling holes in ceramic wall tiles
- » Can drill up to 75mm diameter holes

DIAMOND CUP WHEELS


DIAMOND GRINDING SHOES



# Diamond grinding




# All your Diamond Grinding needs



## DIAMOND STEP SHAPED SEGMENT – CUP WHEEL | STEP5, STEP7

25 Grit


- » Designed for fast & aggressive concrete grinding
- » Available in either:
  - 5" 125mm x 6 segment x 12mm high x 22.23mm
  - 7" 178mm x 8 segment x 12mm high x 22.23mm
- » Available in purple, yellow or black (see guide for cup wheel colour that suits your floor type)



## DIAMOND SHAPED SEGMENT – CUP WHEEL | DSCW56, DSW76, DSCW712

25 Grit

- » Designed for fast & aggressive concrete grinding
- » Available in either:
  - 5" 125mm x 6 segment x 8mm high x 22.23mm
  - 7" 125mm x 6 SEGMENT x 8mm high x 22.23mm
  - 7" 178mm x 12 segment x 8mm high x 22.23mm
- » Available in yellow, black & blue (see guide for cup wheel colour that suits your floor type)



## DIAMOND ARROW SHAPED SEGMENT – CUP WHEEL | ASCW56, ASCW76, ASCW710

25 Grit

- » Designed for fast & aggressive grinding for coatings removal
- » Available in either:
  - 5" 125mm x 6 segment x 10mm high x 22.23mm - 25 Grit
  - 7" 178mm x 6 segment x 15mm high x 22.23mm - 25 Grit
  - 7" 178mm x 10 segment x 10mm high x 22.23mm - 25 Grit
- » Available in yellow (See guide for cup wheel colour that suits your floor type)



## ARROW SEGMENT + SPLIT PCD – CUP WHEEL | ASCW73PCD

- » Designed for fast & aggressive concrete grinding for hard coatings removal
- » 7" 178mm x 3 large segment + split PCD x 15mm high x 22.23mm






### DIAMOND TURBO – CUP WHEEL | *DT45, DT5, DT7*

16 Grit, 30/40 Grit, 60 Grit, 80 Grit, 120 Grit

Designed for concrete grinding & coating removal


- » 9 & 12 segments – 16/30/40 Grit are designed for aggressive concrete grinding & coatings removal.  
18 & 24 segments – 60/80/120 Grit are designed for fine grinding
- » Available in either:
  - 4.5" 115mm x 9 segment x 22.23mm – 30/40 Grit
  - 5" 125mm x 9 segment x 8mm x 22.23mm - 30/40 Grit
  - 5" 125mm x 18 segment x 5mm x 22.23mm – 30/40 Grit & 60 Grit
  - 7" 180mm x 12 segment x 8mm x 22.23mm – 16 Grit, 30/40 Grit, 60 Grit, 120 Grit
  - 7" 180mm x 24 segment x 22.23mm – 30/40 Grit, 60 Grit, 80 Grit, 120 Grit
- » Available in yellow, white, black, purple, blue & yellow (see guide for cup wheel colour that suits your floor type)



### DIAMOND CYCLONE – CUP WHEEL | *CYC4*

30 Grit

- » Designed for general purpose concrete grinding
- » 4" 100mm x 22.23mm – 30 Grit
- » Available in white (See guide for cup wheel colour that suits your floor type)



### DIAMOND DOUBLE ROW – CUP WHEEL | *DR4/DR5/DR7*

30/40 Grit, 120 Grit

- » 30/40 Grit designed for faster material removal on concrete, 120 Grit designed for fine surface preparation on concrete
- » Available in either:
  - 4" 100mm x 16mm x 22.23mm - 30/40 Grit
  - 5" 125mm x 22.23mm - 30/40 Grit
  - 7" 180mm x 22.23mm – 30/40 Grit, 120 Grit
- » Available in White (see guide for cup wheel colour that suits your floor type)

#### COLOUR GUIDE

<b>XHF</b>	<b>PURPLE</b>	Super Soft Bond	Super Hard Floors
<b>VHF</b>	<b>BLUE</b>	Very Soft Bond	Very Hard Floors
<b>HF</b>	<b>YELLOW</b>	Soft Bond	Hard Floors
<b>MF</b>	<b>WHITE</b>	Medium Bond	Medium Floors
<b>SF</b>	<b>BLACK</b>	Hard Bond	Soft Floors
<b>VSF</b>	<b>GREEN</b>	Very Hard Bond	Very Soft Floors



### PREMIUM PRO QUICK LOCK SHOE – STEP STYLE – 13MM HIGH | WLSTEP25

25 Grit

- » Designed for aggressive coatings removal
- » Available in single segment and double segment
- » Single segment available in black, purple & yellow. Double segment available in black, purple, white & yellow (See guide for grinding shoe colour that suits your floor type)



### PREMIUM PRO QUICK LOCK SHOE – COFFIN STYLE – 13MM HIGH | WL16/WL25/WL30/WL60/WL120

16 Grit, 25 Grit, 30 Grit, 60 Grit & 120 Grit

- » Designed for general concrete grinding
- » Available in single segment and double segment
- » Single segment available in blue, white, yellow, black, purple, green. Double segment available in purple, blue, white, yellow, black, green. (See guide for grinding shoe colour that suits your floor type)



### PREMIUM PRO QUICK LOCK SHOE – STAR STYLE – 12MM HIGH | WLSTAR25

25 Grit

- » Designed for aggressive coatings removal
- » Available in single segment
- » Available in black, purple & yellow (See guide for grinding shoe colour that suits your floor type)

#### COLOUR GUIDE

XHF	PURPLE	Super Soft Bond	Super Hard Floors
VHF	BLUE	Very Soft Bond	Very Hard Floors
HF	YELLOW	Soft Bond	Hard Floors
MF	WHITE	Medium Bond	Medium Floors
SF	BLACK	Hard Bond	Soft Floors
VSF	GREEN	Very Hard Bond	Very Soft Floors

**DUST COLLECTOR**

**DUST EXTRACTOR**

**INDUSTRIAL VACUUM**

**WET/DRY VACUUM**

**FORCED ACTION MIXER**

**DUST CONTROLLER**

**RESPIRATORY PROTECTION**



# Dust extraction



# All your dust extraction needs



## **BLAstrac DUST COLLECTOR – H CLASS | BDC1133H** 250 hPa Vacuum

- » Compact dust collection system ideal for hand tools and small grinding machines. It can be used for both wet and dry applications.
- » Especially designed to deal with hazardous materials due to its Hepa filter and H-Class certification.
- » User friendly, easy to manoeuvre and transport due to the robust wheels with brake system.



## **BLAstrac HEAVY DUTY DUST COLLECTOR – H CLASS | BDC122H**

330 M3/H | 211 hPa  
2 independent motors

- » Especially designed to be connected to small surface preparation machines. The high suction power, filter options and large dust bin capacity ensures that all dust is safely collected.
- » Equipped with a H14 HEPA filter which makes it perfect for hazardous materials & jobsites. It is an environmentally friendly dust collector that aims to improve the safety of the operators.
- » This dust collector is ideal for asbestos and lead paint removal



## **BLAstrac INDUSTRIAL DUST EXTRACTOR – M CLASS | BDC1216**

324 M3/H | 211 hPa  
2 independent motors

- » Light weight industrial dust collector is ideal for hand tools and easily portable with a 40 litre dust container.
- » Ideally suited for handheld equipment and small grinders, shot blasters and scarifiers.
- » Standard equipped with a M-class star filter.



## **TIV1000 SINGLE PHASE 1 MOTOR HEPA DUST EXTRACTOR | TIV1000**

1.2KW Power / 240 V / 50-60HZ

- » OSHA compliant H13 HEPA filter
- » “No marking type” lockable rear wheels and lockable front caster
- » Continues bagging system ensures quick and dust free bag changes
- » Smart and portable design, transporting is like a breeze



## **TIV2000 SINGLE PHASE 2 MOTORS HEPA DUST EXTRACTOR | TIV2000**

2.4KW Power / 240V / 50-60HZ

- » OSHA compliant H13 HEPA filter
- » Unique jet pulse filter cleaning system, efficiently purges the pre-filter without opening the vacuum to maintain a smooth air flow and avoid second dust hazard
- » The height of the vacuum can be lowered to 103cm using as little space as possible when transporting
- » An hour counter and vacuum meter for filter control are standard



## **TIV3000 SINGLE PHASE 3 MOTORS HEPA DUST EXTRACTOR | TIV3000**

3.6KW Power / 240V / 50-60HZ

- » OSHA compliant H13 HEPA filter
- » Unique jet pulse filter cleaning technology ensures efficient and clean filtration
- » Welded frame/platform provide sturdy support in tough jobsites
- » The 22 metres long plastic bag can be separated to approx. 40 individually sealed bags for fast, safe handling and disposal of dust.
- » The height of the vacuum can be lowered to 110cm using as little space as possible when transporting



### DIAMOND CUP GRINDING DUST EXTRACTOR | DEC125

Suits 100mm-125mm grinding cups

- » Removes dust while grinding
- » Removable guard for grinding against walls
- » Brush base provides support for a cushion action



### DIAMOND CUP GRINDING DUST EXTRACTOR | DEC180

Suits 180mm grinding cups

- » 35mm vacuum outlet
- » Removable guard for grinding against walls
- » Brush base provides support for a cushion action



### DIAMOND BLADE DUST EXTRACTOR | DEXBC

- » Removes dust while cutting
- » Suits 100-125mm blades
- » Includes universal adapter to suit most vacuums



### WET/DRY VACUUM | WDV

35L | 1200W

- » 35L Wet/Dry vacuum and blower
- » 3 metre hose
- » 5 metre power cord
- » Auto - ancillary power socket
- » HEPA filter
- » Blower attachment and drain hole



### METABO ALL-PURPOSE VACUUM CLEANER L-CLASS

| ASR35

248 hPa Vacuum

- » Designed for extraction from the power tool in continuous mode, both on construction sites and in the workshop.
- » Especially suited for extracting concrete and rock dust.
- » Compact vacuum cleaner for liquids and dry solids with commercial registration.



### SUCTION DRILL GUIDE DUST EXTRACTOR | DEXSG

32mm - 37mm hose outlet

- » Dust free drilling
- » Connects to a vacuum cleaner
- » Suitable for tile, plaster, stone and non-porous material
- » Can be used with drills to maximum diameter of 65mm



### SOROTO FORCED ACTION MIXERS

80L Mixer | SORM080L

100L Mixer | SORM0100L

120L Mixer | SORM0120L

300L Mixer | SORM0300L

- » The original SoRoTo Mixer features loading wheels and telescopic legs.
- » Includes trowel bracket and bucket stand
- » Safety grid and safety switch



### SOROTO FORCED ACTION MIXERS – DUST CONTROLLER

80L Dust Controller | SOR80001DL

100L Dust Controller | SOR100001DL

120L Dust Controller | SOR120001DL

- » Suits the original SoRoTo Mixers
- » Access and view of the mixer is not compromised
- » Easy to install on SoRoTo Mixers



### PLASTIC DOOR PROTECTOR ZIP-UP WITH MASKING TAPE

| DPZT

- » Prevents mess spreading
- » Heavy duty material
- » Suitable for doorways up to 1 metre wide

# All your respiratory protection needs



## PRO-CHOICE P2 PARTICLE FILTER PAIR | PCP2

1 x Pair

- » Suits Pro-Choice Half Mask Respirator Twin Filter
- » P2 cartridges protects against mechanically and thermally generated particles



## PRO CHOICE A1P2 PARTICLE / GAS FILTER PAIR | PCA1P2

1 x Pair

- » Suits Pro-Choice Half Mask Respirator Twin Filter
- » A1P2 cartridges for gas/vapour and combination particulate/ gas/vapour cartridge



## PRO CHOICE P2 PRE-FILTERS | PCFP2

Pack of 20

- » Suits Pro-Choice Half Mask Respirator Twin Filter
- » Lightweight pads fit inside Pro Cartridge gas cartridge easy replacement system



## PRO CHOICE P2 DISPOSABLE VAVLED MASK | PC321

Pack of 12

- » P2 rating
- » Pro Valve for increased exhalation efficiency
- » Latex free dual straps



## PRO CHOICE P2 FLAT FOLD DISPOSABLE VAVLED MASK | PCFFP2V

Pack of 10

- » P2 rating
- » Mouldable HD foam nose piece
- » Individually packed



## SUNDSTROM PRE-FILTER | SR221

5 Pack, Diam: 102mm, Thick: 1mm

- » Used in conjunction with Sundstrom SR100 respirator
- » Sorts out coarse, wet and dry particles, protects the main filter and prolongs its service life



## PRO-CHOICE HALF MASK RESPIRATOR TWIN FILTER | HMTPM

Medium / Large

- » Soft & durable mask for an airtight and secure seal
- » Enhanced bolstered four point cradle suspension for improved load bearing, better fit & comfort.
- » Low resistance exhalation valve – to reduce heat & moisture build up



## SUNDSTROM SILICA BOX KIT | SR100KIT

Incl. 510 P3 Particle Filter

- » Kit includes mask, filter(s), pre-filters, pre-filter holder, cleaning tissue and user manual
- » P3 filter is used against all types of wet and dry particles, such as dust, smoke, aerosols, spray, asbestos, bacteria, viruses and mould. It removes 99.997% of all particles from the air you breathe.
- » Contained in a rugged plastic box with carry handle



## SUNDSTROM A2 SOLVENT FILTER | SR218

Diam: 106mm, Thick: 36mm

- » Used in conjunction with Sundstrom SR100 respirator
- » Use against vapour from organic substances whose boiling point exceeds +65°C



## SUNDSTROM P3 PARTICLE FILTER | SR510

Diam: 107mm, Thick: 31mm

- » Used in conjunction with Sundstrom SR100 respirator
- » Use against all types of wet & dry particles e.g. dust, smoke, aerosols, asbestos, bacteria, mould



CFLEX WALL RECESS

SQUARE FLOOR DRAIN

ALUMINIUM DRAIN JOINER

ALUMINIUM DRAIN OUTLET

ALUMINIUM SLOTTED  
DRAIN



# Bathroom accessories


# All your bathroom accessory needs



## CFLEX SHOWER WALL RECESS | CF1600

624 x 324 x 100mm

- » CFlex has insulation properties and is waterproof and heat resistant
- » Can be used for tiling or rendering
- » Ideal for showers and bathrooms



## SQUARE FLOOR DRAIN

| FDCBSQ10010

100mm

- » Modern design
- » Ideal for bathrooms, laundries and outside areas
- » 10mm collar




## SQUARE CHROME BRASS GRATE |

14155/15234/15233/13736

80x50, 80x80, 100x50, 100x100mm

- » Puddle flanges are installed onto drainage pipes to assist with the draining of water leakages away from the screed
- » No solvent welding required
- » Adjust height by raising adaptor

Measurements (mm)




## VERSA-TILE FLOOR WASTE – RUBBER RING JOINT WITH INSERT-TILE | 18941, 18935, 18909

50mm, 80mm, 100mm

- » Easy to use, versatile floor waste system
- » Made from high quality chrome plated brass
- » No solvent welding required

Measurements (mm)



SPACER

ROLLER COVER

SPIKE ROLLER

KNEE PADS

FLOOR PROTECTION



Rokset+



# General tools



# All your general tool needs



## BUCKET DOLLY WITH WHEELS

| **BDOLLY**

- » 5 castor wheels
- » 3 castor wheels with brake
- » Suitable for 20L buckets



## 10M METRIC TAPE MEASURE

25MM | **T1025M**

- » 10M measure tape with full rubber grip
- » 25mm wide nylon coated, yellow metal tape
- » Magnet hook



## TILING MOSAIC SPACER | **TMS10**

300x150mm

- » Designed to fix behind the mosaic sheets to increase the thickness of the tiles
- » 10 sheets per pack
- » The sheet is easily cut for different designs



## INDUSTRIAL BRUSH | **3151, 3159, 3167**

- » Wooden handled, white hog bristle brush
- » Designed for industrial use
- » Available in 50mm, 75mm & 100mm



## SPIKE ROLLER 500MM

| **SPIKER511/SPIKER528**

11mm spikes / 28mm spikes

- » Use of spike roller is essential to release any trapped air within screeded toppings and levellers/epoxy coatings
- » Suitable for cementitious coatings, fillers, floor levellers and epoxy coatings



## ROLLER COVER | **230SLE / 460SLE**

- » Suitable for use with Cage Frame Roller and available in 230mm (6mm) & 460mm (12mm)
- » Roller covers will not shed fluff & hair or leave roller lines.
- » Roller material is Polyester + PVC



## CAGE FRAME ROLLER ALL ROUNDER | **3295**

- » Economy cage frame
- » Plastic handle
- » Threaded to fit Rokset extension pole



## CAGE FRAME HEAVY DUTY LITTLE GEM – 270MM | **11850**

- » Heavy duty cage frame with reinforced end caps
- » Soft touch handle
- » Threaded to fit Rokset extension pole



## "COMFORT KNEE" KNEE PADS

| **197**

- » Designed especially for flooring installation, these pads provide protection for both kneeling and knee kicking
- » Contour conforms to the motion of your knee
- » Made from flexible yet durable neoprene material and are machine washable



## PROTECT IT – FLOOR PROTECTION | **PI250**

1m x 50 L/m rolls

- » Designed for protecting finished floors prior to hand over whilst other trades are working on site
- » Can be used multiple times
- » 2mm thick



## JACK HAMMER TROLLEY | **JHTU**

- » Innovative demolition tool designed for the fast and easy removal of floor tiles, vinyl & cork from concrete and wooden surfaces
- » Can also be used to remove residue from tile beds and for breaking rocks, blocks, concrete and sandstone
- » Can be adjusted to 6 different positions ranging from 28 to 80 degrees to suit most demolition jobs

FLOOR GRINDERS

FLOOR POLISHERS

FLOOR STRIPPERS

ANGLE GRINDERS



# Machinery

# All your machinery needs



## **BRONCO FLOOR STRIPPER** **| 260P**

*1.2 x 0.7 x 1.1m | Blades and parts also available from MJS*

- » Powerful, low-emission, high-performance, low-maintenance 17HP Kawasaki engine
- » Strip up to 1,400m<sup>2</sup> a day
- » Compact – easy to transport



## **DURO STRIPPER | 13347** **16kg**

- » For universal use on small and medium sized surfaces
- » Can be used as a hand operated tool or as a floor tool with height adjustable handle
- » Standard running gear for easier operation



## **464R SELF-PROPELLED STRIPPER | 464R**

**12kg**

- » Self propelled stripper now comes with a quick reverse control lever
- » One motor drives the machine with 185lbs of thrust while a second motor provides the blade action
- » Removes direct glue down carpet, resilient sheet goods, vinyl tiles and other difficult floor accumulations



## **T2 SINGLE HEAD CONCRETE FLOOR GRINDER | T2**

**65kg**

- » Single-disc concrete grinder for small to medium horizontal surface preparation applications
- » Very easy and comfortable to use with low vibrations
- » Fitted with water attachment



## **T4 FLOOR GRINDER | T4** **65kg**

- » Single-disc concrete grinder for small to medium horizontal surface preparation applications
- » Dust free when connected to the appropriate dust collection system
- » Has self levelling head and very comfortable to use



## **T8 3 HEAD PLANETARY FLOOR GRINDER/POLISHER | T8**

**270kg**

- » Designed for various sizes of horizontal surface preparation
- » Is ideal for the removal of coating, concrete grinding or polishing
- » Dust free when connected to the appropriate dust collection system





### **TURBO STRIPPER | 38587**

**157kg**

- » Professional removal of any bonded flooring
- » Self propelled with hand operated clutch for operating convenience
- » Detachable weight and handle for easy transportation



### **METABO 9" 2400W GRINDER | 9GKIT**

**9inch/230 mm, 1600W**

- » Robust, powerful angle grinder with greatest power density in its class for quick work progress
- » Metabo Quick System for tool-free disc change at the touch of a button
- » Includes D-Handle & Metal Shroud



### **METABO 5" 1000W GRINDER | 5GKIT**

**5inch/125mm, 720W**

- » Metabo marathon motor with patented dust protection for long service life
- » Metabo safety switch prevents unintentional start
- » Includes D-Handle & Metal Shroud




# GET IN **contact today**

---

Interested in any of these products?

Call us today and place your order!





## MJS REGIONAL WAREHOUSES

### BRISBANE (Corporate)

35 Dividend St, Mansfield  
PO Box 2393, Mansfield  
P: (07) 3347 7300  
F: (07) 3343 9792

### ADELAIDE

22 Ridley Street, Hindmarsh  
P: (08) 8178 5300  
F: (08) 8178 5302

### TOWNSVILLE

Unit 1/12 Civil Rd, Garbutt  
P: (07) 4727 6500  
F: (07) 4727 6502

### MELBOURNE

82 Endeavour Way, Sunshine  
P: (03) 9351 7400  
F: (03) 9351 7402

### SYDNEY

Unit 2, 4-7 Potter Cl, Wetherill Park  
P: (02) 9616 1500  
F: (02) 9616 1502

### HOBART

101 Albert Rd, Moonah  
P: (03) 6242 8800  
F: (03) 6242 8802

### CANBERRA

Unit 6B/3 Barrier St, Fyshwick  
P: (02) 6212 9400  
F: (02) 6212 9402

### DARWIN

Unit 4/124 Coonawarra Rd, Winnellie  
P: (08) 7922 9700  
F: (08) 7922 9702

**PERTH** – Opening 2020



## MJS TRADE CENTRES

### QLD

BOWEN HILLS  
P: (07) 3514 5700

### CAIRNS

P: (07) 4245 8300

### GOLD COAST

P: (07) 5586 9800

### MACKAY

P: (07) 4864 3500

### SUNSHINE COAST

P: (07) 5475 8100

### TOOWOOMBA

P: (07) 4592 4700

### VIC

DANDENONG  
P: (03) 8780 6900

### NSW

SEVEN HILLS  
P: (02) 8672 2100


### TAMWORTH

P: 0407 454 500

### NEWCASTLE

P: (02) 4965 2600





[mjsfloorcoverings.com.au](http://mjsfloorcoverings.com.au)

